

► **SG-120A 0.3c.c. Air Brush (Adjustable)**

Applied primarily for fine art-work such as photo re-touching in use of dyes and inks.

**Specification**

Paint Feed Type	Gravity
Nozzle Size	Ø 0.2 mm (Available: 0.3, 0.5mm)
Cup Capacity	0.3 c.c.
Color Cup	Built-In
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	140 mm



► **SG-220A 1.5c.c. Air Brush (Adjustable)**

Primarily applied for fine to medium art-work such as photo re-touching in use of thinly dissolved acrylics, gouaches, water colors, dyes and inks etc...

**Specification**

Paint Feed Type	Gravity
Nozzle Size	Ø 0.2 mm (Available: 0.3, 0.5mm)
Cup Capacity	1.5 c.c.
Color Cup	Fix-In
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	140 mm



► **SG-320A 7c.c. Air Brush (Adjustable)**

Suitable for general purpose of art-work such as photo-retouching, fine drawings, technical and medical illustration, body-craft, precise crafts, hobbies, plastic model by application of color inks, water colors, lacquers, design colors, dissolved acrylics and gouaches etc...

**Specification**

Paint Feed Type	Gravity
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Cup Capacity	7 c.c.
Color Cup	Fix-In
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	145 mm



► **SG-420A Air Brush (Adjustable, Detachable Cup)**


With side-detached color cup gives convenient drawing and steady performance. Suitable for general purpose of art-work such as photo-retouching, fine drawings, technical and medical illustration, body-craft, precise crafts, hobbies, plastic model by application of color inks, water colors, lacquers, design colors, dissolved acrylics and gouaches etc...

**Specification**

Paint Feed Type	Gravity
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Cup Capacity	7 c.c.
Color Cup	Side Detachable
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	145 mm




▶ **SG-530 Air Brush (Adjustable)**  
**SG-530C Cutaway Air Brush (Adjustable)**



SG-530



SG-530C

**Specification**

Paint Feed Type	Gravity
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Cup Capacity	2 c.c. ~ 7 c.c. ~ 15 c.c. (Optional)
Color Cup	Upper, Detachable
Control Switch	Pull-Button
Air Inlet	1/8"
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	155 mm

**Features**

1. Forged alloy aluminum body with anodized color.
2. Brass cup with chrome-plated
3. Elegant streamline in ergonomics design
4. Enlarge Stainless steel nozzle for strength.
5. Stainless steel needle.
6. Arch switch lever for operating sensitively
7. End O-ring for warning of maximum adjustment

▶ **SG-810 Professional Air Brush Kit**  
**SG-810C Cutaway Air Brush Kit**



SG-810



SG-810C

**Specification**

Paint Feed Type	Siphon
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Control Switch	Push-Button
Spray	Adjustable
Air Inlet	1/8" (Hose)
Operating Pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	155 mm

- 1-Spanner
- 1-1/8" Hose Adaptor
- 2-30c.c. Glass Jar

-  **No.01A**
-  **No.01C**
-  **No.01B**

**Crown Type Protective cap**

► **SG-920 Professional Air Brush Kit**

Specification

Paint Feed Type	Gravity
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Spray	Adjustable
Color Cup	Side Detachable
Control Switch	Trigger
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	150 mm

- 1-SG-920 Professional Air Brush
- 1-1/8" Hose Adaptor
- 1-15c.c. Metal Cup
- 1-7c.c. Metal Cup
- 1-Spanner



► **SG-930 Professional Air Brush Kit**

Specification

Paint Feed Type	Gravity
Nozzle Size	Ø 0.3 mm (Available: 0.2, 0.5mm)
Spray	Adjustable
Color Cup	Upper , Detachable
Control Switch	Trigger
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	150 mm

- 1-SG-930 Professional Air Brush
- 1-Spanner
- 1-1/8" Hose Adaptor
- 1-7c.c. Cup
- 1-2c.c. Cup



► **SG-920F Professional Air Brush Kit**

Specification

Nozzle size	0.5 mm
Trigger Action	Dual-Action Airbrush
Paint Cup Type	5 cc, 9 cc side-screwed gravity paint cup
Spray pattern	2 mm~50 mm
Changeable needle Tefl	YES
Suggested working pressure	1.3-3.5 bar (18.9~50 psi)
Maximum working pressure	6.8 bar (100 psi)
Air inlet	1/8"
Handle with adjustor	YES

**Features :** Fan-Patterned Nozzle cap, Round-Patterned, Nozzle cap



## ► SG-930F Professional Air Brush Kit

### Specification

Nozzle size	0.3 mm
Trigger Action	Dual-Action Airbrush
Paint Cup Type	9 cc, 15 cc Gravity type cup
Spray pattern	2 mm~50 mm
Changeable needle Tefl	YES
Suggested working pressure	1.3-3.5 bar (18.9~50 psi)
Maximum working pressure	6.8 bar (100 psi)
Air inlet	1/8"
Handle with adjustor	YES

**Features :** Fan-Patterned Nozzle cap, Round-Patterned, Nozzle cap



## ► SG-410 Professional Air Brush Kit

### Specification

Paint Feed Type	Gravity
Nozzle Size	Ø 0.35 mm
Control Switch	Push-Button
Spray	Adjustable
Color Cup	Upper , Detachable
Air Inlet	1/8" (Hose)
Operating pressure	1.0~3.5 Bar (14~50 psi)
Overall Length	83 mm

- 1-Spanner
- 1-1/8" Hose Adaptor
- 1-7c.c. Cup



## ► SG-620 Hobby Air Brush Kit

Composed plastic body, precise-made, push-button control, it's a handy item suitable for student, hobby users, beginner etc...

### Specification

Paint Feed Type	Siphon
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating Pressure	1.0~3.5 Bar (14~50 psi)

- 1-183CM Pvc Air hose
- 1-22c.c. Glass Jar
- 1-Cup



## ► SG-720 Hobby Air Brush Kit

Composed plastic body, precise-made, push-button control, it's a handy item suitable for student, hobby users, beginner etc...

### Specification

Paint Feed Type	Siphon
Control Switch	Push-Button
Air Inlet	1/8" (Hose)
Operating Pressure	1.0~3.5 Bar (14~50 psi)

- 1-183CM Pvc Air hose
- 1-60c.c. Glass Jar
- 1-22c.c. Glass Jar
- 1-Spanner
- 1-Cup





► **SG-268F Mini Air Compressor**

**Specification**

Voltage	110V / 220V
HZ (Frequency)	50HZ-60HZ / 50HZ-60HZ
Watt	71W-62W / 71W-62W
Air Flow	30-35 l/min / 30-35 l/min
Working pressure	2.8 ~ 4.2 Bar
Weight	3.3 kgs
Dimension	L235 × W135 × H175 mm



► **SG-268TF Mini Air Compressor (w/3.5L Tank)**

**Specification**

Voltage	110V / 220V
HZ (Frequency)	50HZ-60HZ / 50HZ-60HZ
Watt	110W-132W / 110W-132W
Air Flow	30-35 l/min / 30-35 l/min
Working pressure	40-60 Bar
Weight	5.5 kgs
Dimension	L280 × W130 × H350 mm
Tank Capacity	3.5 L



► **SG-266TF Mini Air Compressor**

**Specification**

Voltage	110V ~ 220V
HZ (Frequency)	50HZ ~ 60HZ
Watt	130W / 160W
Air Flow	18 l/min
Working pressure	2.2 ~ 4 Bar
Weight	5.75 kgs
Dimension	L210 × W310 × H345 mm
Tank Capacity	0.8L



► **SG-268TB Mini Air Compressor (w/2.5L Tank)**

**Specification**

Voltage	110V / 220V
HZ (Frequency)	50HZ-60HZ / 50HZ-60HZ
Watt	100W-95W / 100W-95W
Air Flow	14.16 l/min / 14.16 l/min
Working pressure	40-60 Bar
Weight	6.3 kgs
Dimension	L290 × W280 × H250 mm
Tank Capacity	2.5 L




▶ **Air Brush Hose**



<b>AP-120</b>	Ø2.5mm x 4mm x 2.0M
<b>AP-125</b>	Ø2.5mm x 4mm x 2.5M
<b>AP-130</b>	Ø2.5mm x 4mm x 3.0M

▶ **Air Brush Braided Hose**



<b>AP-120R</b>	Ø2.5mm x 4mm x 2.0M
<b>AP-125R</b>	Ø2.5mm x 4mm x 2.5M
<b>AP-130R</b>	Ø2.5mm x 4mm x 3.0M

▶ **SG-011  
Air Brush Holder**



Easy to fix on table, Turning angle is up to 360°, bring more conveniences to user.

▶ **SG-018-1 1/8" Quick Connector**

The air brush can be easily and rapidly detached from air hose while equipped with the quick connector.



▶ **SG-08SPE  
Drain & Dust Catcher w/Regulator**



▶ **SG-09SPE  
Drain & Dust Catcher**



▶ **SG-08SPEA  
Drain & Dust Catcher w/Regulator**



▶ **SG-09SPEA  
Drain & Dust Catcher**



▶ **SG-08SPEAQ  
Drain & Dust Catcher w/Regulator  
& One-Touch Quick Connector**



▶ **SG-09SPEAQ  
Drain & Dust Catcher &  
One-Touch Quick Connector**

